



### AMORTIGUADORES METALICOS DE MALLA ACERO INOX.




CODIGO	Carga	Frec. Natural	Perno	Niv.
V43H	30-500 Kgf	20-25 Hz	1/2"x140mm	Sí
V44H	200-1500 Kgf	20-25 Hz	5/8"x140mm	Sí
V45H	700-2700 Kgf	20-25 Hz	3/4"x200mm	Sí
V46H	2000-4500 Kgf	20-25 Hz	1"x200mm	Sí
V47H	3000-7000 Kgf	20-25 Hz	1"x200mm	Sí




CODIGO	Carga	Frec. Natural	Perno	Niv.
V43WH	30-500 Kgf	15-20 Hz	1/2"x140mm	Sí
V44WH	150-1000 Kgf	15-20 Hz	5/8"x140mm	Sí
V45WH	300-2000 Kgf	15-20 Hz	3/4"x200mm	Sí
V46WH	500-4500 Kgf	15-20 Hz	1"x200mm	Sí
V47WH	1500-7000 Kgf	15-20 Hz	1"x200mm	Sí

### LIMITADORES SÍSMICOS



CODIGO	Carga	Diámetro perforaciones anclaje
VE 10261	115 Kgf	1/2"
VE 10262	230 Kgf	5/8"
VE 10263	450 Kgf	3/4"
VE 10264	1370 Kgf	7/8"
VE 10265	2270 Kgf	1"


### AMORTIGUADORES DE ELASTOMERO




CODIGO	Carga	Frec. Natural	Rosca	Niv.
VE-1118-01R	9-18 Kgf	9-12 Hz	M-6	No
VE-1119-01R	15-35 Kgf	9-12 Hz	M-8	No
VE-1119-02R	30-60 Kgf	9-12 Hz	M-8	No
VE-1119-03R	45-90 Kgf	9-12 Hz	M-8	No
VE-1120-01R	70-130 Kgf	8-10 Hz	M-10	No
VE-1120-02R	110-180 Kgf	8-10 Hz	M-10	No
VE-1121-01R	125-240 Kgf	7-9 Hz	M-12	No
VE-1121-02R	210-360 Kgf	7-9 Hz	M-12	No
VE-1122-01R	220-700 Kgf	5-8 Hz	M-16	No
VE-1122-02R	500-1100 Kgf	5-8 Hz	M-16	No
VE-1122-03R	750-1600 Kgf	5-8 Hz	M-16	No
VE-1122-04R	1000-2250 Kgf	5-8 Hz	M-16	No



**AMORTIGUADORES DE RESORTE ENCAPSULADO**



CODIGO	Carga	Frec. Natural	Deflexión	Niv.
VAC 00 X5-ENC	08-13 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 01 X5-ENC	13-27 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 02 X5-ENC	25-44 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 03 X5-ENC	42-74 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 04 X5-ENC	72-115 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 05 X5-ENC	100-156 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 06 X5-ENC	140-205 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 106 X5-ENC	135-210 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 107 X5-ENC	190-300 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 108 X5-ENC	290-430 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 109 X5-ENC	390-590 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 208 X5-ENC	580-860 Kgf	4.5-5.5 Hz	10mm	Sí
VAC 209 X5-ENC	780-1180 Kgf	4.5-5.5 Hz	10mm	Sí



CODIGO	Carga	Frec. Natural	Deflexión	Niv.
VAC 00 Y3-ENC	08-13 Kgf	3-4 Hz	20mm	Sí
VAC 01 Y3-ENC	13-27 Kgf	3-4 Hz	20mm	Sí
VAC 02 Y3-ENC	25-44 Kgf	3-4 Hz	20mm	Sí
VAC 03 Y3-ENC	42-74 Kgf	3-4 Hz	20mm	Sí
VAC 04 Y3-ENC	72-115 Kgf	3-4 Hz	20mm	Sí
VAC 05 Y3-ENC	100-156 Kgf	3-4 Hz	20mm	Sí
VAC 06 Y3-ENC	140-205 Kgf	3-4 Hz	20mm	Sí
VAC 106 Y3-ENC	135-210 Kgf	3-4 Hz	20mm	Sí
VAC 107 Y3-ENC	190-300 Kgf	3-4 Hz	20mm	Sí
VAC 108 Y3-ENC	290-430 Kgf	3-4 Hz	20mm	Sí
VAC 109 Y3-ENC	390-590 Kgf	3-4 Hz	20mm	Sí
VAC 208 Y3-ENC	580-860 Kgf	3-4 Hz	20mm	Sí
VAC 209 Y3-ENC	780-1180 Kgf	3-4 Hz	20mm	Sí



**AMORTIGUADORES COLGANTES - "HANGERS"**



CODIGO	Carga	Frec. Natural	Deflexión	Niv.
VAC 01 X5-T	13-27 Kgf	5-6 Hz	10mm	Sí
VAC 02 X5-T	25-44 Kgf	5-6 Hz	10mm	Sí
VAC 03 X5-T	42-74 Kgf	5-6 Hz	10mm	Sí
VAC 04 X5-T	72-115 Kgf	5-6 Hz	10mm	Sí
VAC 05 X5-T	100-156 Kgf	5-6 Hz	10mm	Sí
VAC 06 X5-T	140-205 Kgf	5-6 Hz	10mm	Sí
VAC 01 X5-TE	13-27 Kgf	5-6 Hz	10mm	Sí
VAC 02 X5-TE	25-44 Kgf	5-6 Hz	10mm	Sí
VAC 03 X5-TE	42-74 Kgf	5-6 Hz	10mm	Sí
VAC 04 X5-TE	72-115 Kgf	5-6 Hz	10mm	Sí
VAC 05 X5-TE	100-156 Kgf	5-6 Hz	10mm	Sí
VAC 06 X5-TE	140-205 Kgf	5-6 Hz	10mm	Sí



CODIGO	Carga	Frec. Natural	Deflexión	Niv.
VAC 01 Y3-T	13-27 Kgf	5-6 Hz	20mm	Sí
VAC 02 Y3-T	25-44 Kgf	5-6 Hz	20mm	Sí
VAC 03 Y3-T	42-74 Kgf	5-6 Hz	20mm	Sí
VAC 04 Y3-T	72-115 Kgf	5-6 Hz	20mm	Sí
VAC 05 Y3-T	100-156 Kgf	5-6 Hz	20mm	Sí
VAC 06 Y3-T	140-205 Kgf	5-6 Hz	20mm	Sí
VAC 01 Y3-TE	13-27 Kgf	5-6 Hz	20mm	Sí
VAC 02 Y3-TE	25-44 Kgf	5-6 Hz	20mm	Sí
VAC 03 Y3-TE	42-74 Kgf	5-6 Hz	20mm	Sí
VAC 04 Y3-TE	72-115 Kgf	5-6 Hz	20mm	Sí
VAC 05 Y3-TE	100-156 Kgf	5-6 Hz	20mm	Sí
VAC 06 Y3-TE	140-205 Kgf	5-6 Hz	20mm	Sí